Index to Volume 31

Subject Index

Volume 31

A

ACCESS program
Long-term Effectiveness of the ACCESS Program in Linking Community Mental Health Services to Homeless Persons With Serious Mental Illness, Rothbard AB, Min S-Y, Kuno E, Wong Y-LI, 31(4): 441–449

Access to care
Access to Publicly Funded Methadone Maintenance Treatment in Two Western States, Deck D, Carlson MJ, 31(2): 164–177
Aging and Outpatient Service Use Among Persons With Schizophrenia-Spectrum Disorders in a Statewide Behavioral Healthcare System, Lu W, Yanos PT, Minsky S, Kiely GL, 31(4): 450–457
Long-term Effectiveness of the ACCESS Program in Linking Community Mental Health Services to Homeless Persons With Serious Mental Illness, Rothbard AB, Min S-Y, Kuno E, Wong Y-LI, 31(4): 441–449
A Multi-site Study of Medicaid-funded Managed Care Versus Fee-for-Service Plans' Effects on Mental Health Service Utilization of Children With Severe Emotional Disturbance, Cook JA, Heflinger CA, Hoven CW, Kelleher KJ, Mulkern V, Paulson RI, Stein-Seroussi A, Fitzgibbon G, Burke-Miller J, Williams M, Kim J-B, 31(4): 384–402
Predominantly Female Caseloads: Identifying Organizational Correlates in Private Substance Abuse Treatment Centers, Tinney SM, Oser CB, Johnson JA, Roman PM, 31(4): 403–417
The Relationship Between Type of Mental Health Provider and Met and Unmet Mental Health Needs in a Nationally Representative Sample of HIV-Positive Patients, Taylor SL, Burnam AM, Sherbourne C, Andersen R, Cunningham WE, 31(2): 149–163
Substance Abuse Treatment for Women: Changes in Settings Where Women Received Treatment and Types of Services Provided, 1987–1998, Grella CE, Greenwell L, 31(4): 367–383

Aging
Aging and Outpatient Service Use Among Persons With Schizophrenia-Spectrum Disorders in a Statewide Behavioral Healthcare System, Lu W, Yanos PT, Minsky S, Kiely GL, 31(4): 450–457

Alcohol/substance use and abuse
Access to Publicly Funded Methadone Maintenance Treatment in Two Western States, Deck D, Carlson MJ, 31(2): 164–177
Creating an Aggregate Outcome Index: Cost-effectiveness Analysis of Substance Abuse Treatment, Jofre-Bonet M, Sindelar JL, 31(3): 229–241
Designated Case Managers as Facilitators of Medical and Psychosocial Service Delivery in Addiction Treatment Programs, Friedmann PD, Hendrickson JC, Gerstien DR, Zhang Z, 31(1): 86–97
Externally Caused Deaths for Adults With Substance Use and Mental Disorders, Dickey B, Dembling B, Azeni H, Normand S-LT, 31(1): 75–85
Factors Associated With Perceived Stigma for Alcohol Use and Treatment Among At-Risk Drinkers, Fortney J, Mukherjee S, Curran G, Fortney S, Han X, Booth BM, 31(4): 418–429
Injection Drug Users and the Provision of Hepatitis C-Related Services in a Nationwide Sample of Drug Treatment Programs, Vassilev ZP, Strauss SM, Astone J, Des Jarlais DC, 31(2): 208–216
Perceptions of Mental Health and Substance Abuse Program Administators and Staff on Service Delivery to Persons With Co-occurring Substance Abuse and Mental Disorders, Grella CE, Gil-Rivas V, Cooper L, 31(1): 38–49
Predominantly Female Caseloads: Identifying Organizational Correlates in Private Substance Abuse Treatment Centers, Tinney SM, Oser CB, Johnson JA, Roman PM, 31(4): 403–417
The Sensitivity of Substance Abuse Treatment Intensity to Co-Payment Levels, Lo Sasso AT, Lyons JS, 31(1): 50–65
Substance Abuse Treatment for Women: Changes in Settings Where Women Received Treatment and Types of Services Provided, 1987–1998, Grella CE, Greenwell L, 31(4): 367–383

Index to Volume 31

Subject Index

Volume 31

A

ACCESS program
Long-term Effectiveness of the ACCESS Program in Linking Community Mental Health Services to Homeless Persons With Serious Mental Illness, Rothbard AB, Min S-Y, Kuno E, Wong Y-LI, 31(4): 441–449

Access to care
Access to Publicly Funded Methadone Maintenance Treatment in Two Western States, Deck D, Carlson MJ, 31(2): 164–177
Aging and Outpatient Service Use Among Persons With Schizophrenia-Spectrum Disorders in a Statewide Behavioral Healthcare System, Lu W, Yanos PT, Minsky S, Kiely GL, 31(4): 450–457
Long-term Effectiveness of the ACCESS Program in Linking Community Mental Health Services to Homeless Persons With Serious Mental Illness, Rothbard AB, Min S-Y, Kuno E, Wong Y-LI, 31(4): 441–449
A Multi-site Study of Medicaid-funded Managed Care Versus Fee-for-Service Plans' Effects on Mental Health Service Utilization of Children With Severe Emotional Disturbance, Cook JA, Heflinger CA, Hoven CW, Kelleher KJ, Mulkern V, Paulson RI, Stein-Seroussi A, Fitzgibbon G, Burke-Miller J, Williams M, Kim J-B, 31(4): 384–402
Predominantly Female Caseloads: Identifying Organizational Correlates in Private Substance Abuse Treatment Centers, Tinney SM, Oser CB, Johnson JA, Roman PM, 31(4): 403–417
The Relationship Between Type of Mental Health Provider and Met and Unmet Mental Health Needs in a Nationally Representative Sample of HIV-Positive Patients, Taylor SL, Burnam AM, Sherbourne C, Andersen R, Cunningham WE, 31(2): 149–163
Substance Abuse Treatment for Women: Changes in Settings Where Women Received Treatment and Types of Services Provided, 1987–1998, Grella CE, Greenwell L, 31(4): 367–383

Aging
Aging and Outpatient Service Use Among Persons With Schizophrenia-Spectrum Disorders in a Statewide Behavioral Healthcare System, Lu W, Yanos PT, Minsky S, Kiely GL, 31(4): 450–457

Alcohol/substance use and abuse
Access to Publicly Funded Methadone Maintenance Treatment in Two Western States, Deck D, Carlson MJ, 31(2): 164–177
Creating an Aggregate Outcome Index: Cost-effectiveness Analysis of Substance Abuse Treatment, Jofre-Bonet M, Sindelar JL, 31(3): 229–241
Designated Case Managers as Facilitators of Medical and Psychosocial Service Delivery in Addiction Treatment Programs, Friedmann PD, Hendrickson JC, Gerstien DR, Zhang Z, 31(1): 86–97
Externally Caused Deaths for Adults With Substance Use and Mental Disorders, Dickey B, Dembling B, Azeni H, Normand S-LT, 31(1): 75–85
Factors Associated With Perceived Stigma for Alcohol Use and Treatment Among At-Risk Drinkers, Fortney J, Mukherjee S, Curran G, Fortney S, Han X, Booth BM, 31(4): 418–429
Injection Drug Users and the Provision of Hepatitis C-Related Services in a Nationwide Sample of Drug Treatment Programs, Vassilev ZP, Strauss SM, Astone J, Des Jarlais DC, 31(2): 208–216
Perceptions of Mental Health and Substance Abuse Program Administators and Staff on Service Delivery to Persons With Co-occurring Substance Abuse and Mental Disorders, Grella CE, Gil-Rivas V, Cooper L, 31(1): 38–49
Predominantly Female Caseloads: Identifying Organizational Correlates in Private Substance Abuse Treatment Centers, Tinney SM, Oser CB, Johnson JA, Roman PM, 31(4): 403–417
The Sensitivity of Substance Abuse Treatment Intensity to Co-Payment Levels, Lo Sasso AT, Lyons JS, 31(1): 50–65
Substance Abuse Treatment for Women: Changes in Settings Where Women Received Treatment and Types of Services Provided, 1987–1998, Grella CE, Greenwell L, 31(4): 367–383

Using Information to Guide Managed Behavioral Health Care, Tumpkins C, Perloff J, 31(1): 98–110
Anxiety
Detection of Postpartum Depression and Anxiety in a Large Health Plan, Coates AO, Schaefer CA, Alexander JL, 31(2): 117–133
Assessment instruments
Continuity of Care: Validation of a New Self-report Measure for Individuals Using Mental Health Services, Durbin J, Goering P, Streiner DL, Pink G, 31(3): 279–296
Creating an Aggregate Outcome Index: Cost-effectiveness Analysis of Substance Abuse Treatment, Jofre-Bonet M, Sindelar JL, 31(3): 229–241
Gender Differences in Patterns of Risk Factors Among Children Receiving Mental Health Services: Latent Class Analyses, Walrath CM, Petras H, Mandell DS, Stephens RL, Holden EW, Leaf PJ, 31(3): 297–311
Minor Depression and Rehabilitaion Outcome for Older Adults in Subacute Care, Allen BP, Agha Z, Duthie EH, Layde PM, 31(2): 189–198
A Need-based Model for Determining Staffing Needs for the Public Sector Outpatient Mental Health Services System, Elisha D, Levinson D, Grinshpoon A, 31(3): 324–333
A Test of Mental Health Parity: Comparisons of Outcomes of Hospital Concurrent Utilization Review, Murray ME, Henriques JB, 31(3): 266–278
Using Information to Guide Managed Behavioral Health Care, Tumpkins C, Perloff J, 31(1): 98–110
Attention deficit/hyperactivity disorder
Healthcare Use by Children With Attention Deficit/Hyperactivity Disorder With and Without Psychiatric Comorbidities, DeBar LL, Lynch FL, Boles M, 31(3): 312–323

B

Book reviews
Family Involvement in Treating Schizophrenia: Models, Essential Skills, and Process, Marley JA (reviewed by Hanson A), 31(3): 344
Mental Health Professionals, Minorities, and the Poor, Illovsky M (reviewed by Webb FJ), 31(3): 343
Protecting Participants and Facilitating Social and Behavioral Sciences Research, Citro CF, Ilgen DR, Marrett CB, eds. (reviewed by Butts HM), 31(1): 111–112

C

Case management
Designated Case Managers as Facilitators of Medical and Psychosocial Service Delivery in Addiction Treatment Programs, Friedmann PD, Hendrickson JC, Gerstien DR, Zhang Z, 31(1): 86–97
New York State Case Manager Survey: Urban and Rural Differences in Job Activities, Job Stress, and Job Satisfaction, Gellis ZD, Kim J, Hwang SC, 31(4): 430–440
Children, youth, and families
Gender Differences in Patterns of Risk Factors Among Children Receiving Mental Health Services: Latent Class Analyses, Walrath CM, Petras H, Mandell DS, Stephens RL, Holden EW, Leaf PJ, 31(3): 297–311
Healthcare Use by Children With Attention Deficit/Hyperactivity Disorder With and Without Psychiatric Comorbidities, DeBar LL, Lynch FL, Boles M, 31(3): 312–323
Longitudinal Patterns of Offending During the Transition to Adulthood in Youth From the Mental Health System, Davis M, Banks S, Fisher W, Grudzinskas A, 31(4): 351–366
A Multi-site Study of Medicaid-funded Managed Care Versus Fee-for-Service Plans' Effects on Mental Health Service Utilization of Children With Severe Emotional Disturbance, Cook JA, Heflinger CA, Hoven CW, Kelleher KJ, Mulkern V, Paulson RI, Stein-Seroussi A, Fitzgibbon G, Burke-Miller J, Williams M, Kim J-B, 31(4): 384–402
Regional Variation and Clinical Indicators of Antipsychotic Use in Residential Treatment: A Four-state Comparison, Rawal PH, Lyons JS, MacIntyre JC, Hunter JC, 31(2): 178–188
The TEFRA Medicaid Eligibility Option for Children With Severe Disabilities: A National Study, Semansky RM, Koyanagi C, 31(3): 334–342
Youth Terapeutic Alliance in Intensive Treatment Settings, Bickman L, Vides de Andrade A, Lambert WE, Doucette A, Sapyta J, Boyd SA, Rumberger DT, Moore-Kurnot J, McDounough LC, Rauktis MB, 31(2): 134–148
Youth Therapeutic Alliance in Intensive Treatment Settings, Bickman L, Vides de Andrade A, Lambert WE, Doucette A, Sapyta J, Boyd SA, Rumberger DT, Moore-Kurnot J, McDounough LC, Rauktis MB, 31(2): 134–148

Client need
Racial Differences in the Mental Health Needs and Service Utilization of Youth in the Juvenile Justice System, Rawal P, Romansky J, Jenuwine M, Lyons JS, 31(3): 242–254
The Relationship Between Type of Mental Health Provider and Met and Unmet Mental Health Needs in a Nationally Representative Sample of HIV-Positive Patients, Taylor SL, Burnam AM, Sherbourne C, Andersen R, Cunningham WE, 31(2): 149–163
Co-payments
The Sensitivity of Substance Abuse Treatment Intensity to Co-Payment Levels, Lo Sasso AT, Lyons JS, 31(1): 50–65
Community mental health services
Identifying Factors Critical to Implementation of Intergrated Mental Health Services in Rural VA Community-Based Outpatient Clinics, Kirchner JE, Cody M, Thrush CR, Sullivan G, Rapp CG, 31(1): 13–25
Long-term Effectiveness of the ACCESS Program in Linking Community Mental Health Services to Homeless Persons With Serious Mental Illness, Rothbard AB, Min S-Y, Kuno E, Wong Y-Li, 31(4): 441–449
Confidentiality
Confidentiality Measures in Mental Health Delivery Settings: Report of US Health Information Managers, Lorence DP, 31(2): 199–207
Continuity of care
Continuity of Care: Validation of a New Self-report Measure for Individuals Using Mental Health Services, Durbin J, Goering P, Streiner DL, Pink G, 31(3): 279–296
Costs of care
Creating an Aggregate Outcome Index: Cost-effectiveness Analysis of Substance Abuse Treatment, Jofre-Bonet M, Sindelar JL, 31(3): 229–241
Profiling Hospitals for Length of Stay for Treatment of Psychiatric Disorders, Harman JS, Cuffel BJ, Kelleher KJ, 31(1): 66–74
Psychiatric Service Utilization and Cost for Persons With Schizophrenia in a Medicaid Managed Care Program, Rothbard AB, Kuno E, Hadley TR, Dogin J, 31(1): 1–12
The Sensitivity of Substance Abuse Treatment Intensity to Co-Payment Levels, Lo Sasso AT, Lyons JS, 31(1): 50–65
Criminal justice system
Longitudinal Patterns of Offending During the Transition to Adulthood in Youth From the Mental Health System, Davis M, Banks S, Fisher W, Grudzinskas A, 31(4): 351–366
Racial Differences in the Mental Health Needs and Service Utilization of Youth in the Juvenile Justice System, Rawal P, Romansky J, Jenuwine M, Lyons JS, 31(3): 242–254

D

Depression
Detection of Postpartum Depression and Anxiety in a Large Health Plan, Coates AO, Schaefer CA, Alexander JL, 31(2): 117–133
Minor Depression and Rehabilitaion Outcome for Older Adults in Subacute Care, Allen BP, Agha Z, Duthie EH, Layde PM, 31(2): 189–198
Patterns of Medical Resource and Psychotropic Medicine Use Among Adult Depressed Managed Behavioral Health Patients, Azocar F, McCarter LM, Cuffel BJ, Croghan TW, 31(1): 26–37
Diagnosis
Detection of Postpartum Depression and Anxiety in a Large Health Plan, Coates AO, Schaefer CA, Alexander JL, 31(2): 117–133
Dual diagnosis patients
Externally Caused Deaths for Adults With Substance Use and Mental Disorders, Dickey B, Dembling B, Azeni H, Normand ST, 31(1): 75–85
Healthcare Use by Children With Attention Deficit/Hyperactivity Disorder With and Without Psychiatric Comorbidities, DeBar LL, Lynch FL, Boles M, 31(3): 312–323
Perceptions of Mental Health and Substance Abuse Program Administators and Staff on Service Delivery to Persons With Co-occurring Substance Abuse and Mental Disorders, Grella CE, Gil-Rivas V, Cooper L, 31(1): 38–49

E

Emergency services
Aging and Outpatient Service Use Among Persons With Schizophrenia-Spectrum Disorders in a Statewide Behavioral Healthcare System, Lu W, Yanos PT, Minsky S, Kiely GL, 31(4): 450–457
Employment and workplace issues
New York State Case Manager Survey: Urban and Rural Differences in Job Activities, Job Stress, and Job Satisfaction, Gellis ZD, Kim J, Hwang SC, 31(4): 430–440

F

Functional Independence Measure (FIM)
Minor Depression and Rehabilitaion Outcome for Older Adults in Subacute Care, Allen BP, Agha Z, Duthie EH, Layde PM, 31(2): 189–198

H

Hepatitis C virus
Injection Drug Users and the Provision of Hepatitis C-Related Services in a Nationwide Sample of Drug Treatment Programs, Vassilev ZP, Strauss SM, Astone J, Des Jarlais DC, 31(2): 208–216

HIV infection
The Relationship Between Type of Mental Health Provider and Met and Unmet Mental Health Needs in a Nationally Representative Sample of HIV-Positive Patients, Taylor SL, Burnam AM, Sherbourne C, Andersen R, Cunningham WE, 31(2): 149–163

Homelessness
Long-term Effectiveness of the ACCESS Program in Linking Community Mental Health Services to Homeless Persons With Serious Mental Illness, Rothbard AB, Min S-Y, Kuno E, Wong Y-LI, 31(4): 441–449

Hospital concurrent utilization review
A Test of Mental Health Parity: Comparisons of Outcomes of Hospital Concurrent Utilization Review, Murray ME, Henriques JB, 31(3): 266–278

Human resources
A Need-based Model for Determining Staffing Needs for the Public Sector Outpatient Mental Health Services System, Elisha D, Levinson D, Grinshpoon A, 31(3): 324–333

I

Injection drug users
Injection Drug Users and the Provision of Hepatitis C-Related Services in a Nationwide Sample of Drug Treatment Programs, Vassilev ZP, Strauss SM, Astone J, Des Jarlais DC, 31(2): 208–216

Insurance
The Sensitivity of Substance Abuse Treatment Intensity to Co-Payment Levels, Lo Sasso AT, Lyons JS, 31(1): 50–65

K

"Katie Beckett Option"
The TEFRA Medicaid Eligibility Option for Children With Severe Disabilities: A National Study, Semansky RM, Koyanagi C, 31(3): 334–342

L

Legislation
The TEFRA Medicaid Eligibility Option for Children With Severe Disabilities: A National Study, Semansky RM, Koyanagi C, 31(3): 334–342
A Test of Mental Health Parity: Comparisons of Outcomes of Hospital Concurrent Utilization Review, Murray ME, Henriques JB, 31(3): 266–278

Life expectancy
Externally Caused Deaths for Adults With Substance Use and Mental Disorders, Dickey B, Dembling B, Azeni H, Normand S-LT, 31(1): 75–85

M

Managed care
A Multi-site Study of Medicaid-funded Managed Care Versus Fee-for-Service Plans' Effects on Mental Health Service Utilization of Children With Severe Emotional Disturbance, Cook JA, Heflinger CA, Hoven CW, Kelleher KJ, Mulkern V, Paulson RI, Stein-Seroussi A, Fitzgibbon G, Burke-Miller J, Williams M, Kim J-B, 31(4): 384–402
Profiling Hospitals for Length of Stay for Treatment of Psychiatric Disorders, Harman JS, Cuffel BJ, Kelleher KJ, 31(1): 66–74
Provider Turnover in Public Sector Managed Mental Health Care, Albizu-García CE, Rios R, Juarbe D, Alegria M, 31(3): 255–265
Psychiatric Service Utilization and Cost for Persons With Schizophrenia in a Medicaid Managed Care Program, Rothbard AB, Kuno E, Hadley TR, Dogin J, 31(1): 1–12
The Sensitivity of Substance Abuse Treatment Intensity to Co-Payment Levels, Lo Sasso AT, Lyons JS, 31(1): 50–65
Using Information to Guide Managed Behavioral Health Care, Tumpkins C, Perloff J, 31(1): 98–110

Medicaid
A Multi-site Study of Medicaid-funded Managed Care Versus Fee-for-Service Plans' Effects on Mental Health Service Utilization of Children With Severe Emotional Disturbance, Cook JA, Heflinger CA, Hoven CW, Kelleher KJ, Mulkern V, Paulson RI, Stein-Seroussi A, Fitzgibbon G, Burke-Miller J, Williams M, Kim J-B, 31(4): 384–402
Psychiatric Service Utilization and Cost for Persons With Schizophrenia in a Medicaid

Managed Care Program, Rothbard AB, Kuno E, Hadley TR, Dogin J, 31(1): 1–12
The TEFRA Medicaid Eligibility Option for Children With Severe Disabilities: A National Study, Semansky RM, Koyanagi C, 31(3): 334–342
Mental health care professionals
A Need-based Model for Determining Staffing Needs for the Public Sector Outpatient Mental Health Services System, Elisha D, Levinson D, Grinshpoon A, 31(3): 324–333
Perceptions of Mental Health and Substance Abuse Program Administators and Staff on Service Delivery to Persons With Co-occurring Substance Abuse and Mental Disorders, Grella CE, Gil-Rivas V, Cooper L, 31(1): 38–49
Mental health care providers
Aging and Outpatient Service Use Among Persons With Schizophrenia-Spectrum Disorders in a Statewide Behavioral Healthcare System, Lu W, Yanos PT, Minsky S, Kiely GL, 31(4): 450–457
Confidentiality Measures in Mental Health Delivery Settings: Report of US Health Information Managers, Lorence DP, 31(2): 199–207
Designated Case Managers as Facilitators of Medical and Psychosocial Service Delivery in Addiction Treatment Programs, Friedmann PD, Hendrickson JC, Gerstien DR, Zhang Z, 31(1): 86–97
Identifying Factors Critical to Implementation of Intergrated Mental Health Services in Rural VA Community-Based Outpatient Clinics, Kirchner JE, Cody M, Thrush CR, Sullivan G, Rapp CG, 31(1): 13–25
Long-term Effectiveness of the ACCESS Program in Linking Community Mental Health Services to Homeless Persons With Serious Mental Illness, Rothbard AB, Min S-Y, Kuno E, Wong Y-LI, 31(4): 441–449
Longitudinal Patterns of Offending During the Transition to Adulthood in Youth From the Mental Health System, Davis M, Banks S, Fisher W, Grudzinskas A, 31(4): 351–366
A Need-based Model for Determining Staffing Needs for the Public Sector Outpatient Mental Health Services System, Elisha D, Levinson D, Grinshpoon A, 31(3): 324–333
Perceptions of Mental Health and Substance Abuse Program Administators and Staff on Service Delivery to Persons With Co-occurring Substance Abuse and Mental Disorders, Grella CE, Gil-Rivas V, Cooper L, 31(1): 38–49
Provider Turnover in Public Sector Managed Mental Health Care, Albizu-García CE, Rios R, Juarbe D, Alegria M, 31(3): 255–265
The Relationship Between Type of Mental Health Provider and Met and Unmet Mental Health Needs in a Nationally Representative Sample of HIV-Positive Patients, Taylor SL, Burnam AM, Sherbourne C, Andersen R, Cunningham WE, 31(2): 149–163
Substance Abuse Treatment for Women: Changes in Settings Where Women Received Treatment and Types of Services Provided, 1987–1998, Grella CE, Greenwell L, 31(4): 367–383
Using Information to Guide Managed Behavioral Health Care, Tumpkins C, Perloff J, 31(1): 98–110
Mental Health Parity Act of 1996
A Test of Mental Health Parity: Comparisons of Outcomes of Hospital Concurrent Utilization Review, Murray ME, Henriques JB, 31(3): 266–278
Methadone maintenance therapy
Access to Publicly Funded Methadone Maintenance Treatment in Two Western States, Deck D, Carlson MJ, 31(2): 164–177
Minority populations
Racial Differences in the Mental Health Needs and Service Utilization of Youth in the Juvenile Justice System, Rawal P, Romansky J, Jenuwine M, Lyons JS, 31(3): 242–254
Mortality
Externally Caused Deaths for Adults With Substance Use and Mental Disorders, Dickey B, Dembling B, Azeni H, Normand S-LT, 31(1): 75–85

O

Older adults
Aging and Outpatient Service Use Among Persons With Schizophrenia-Spectrum Disorders in a Statewide Behavioral Healthcare System, Lu W, Yanos PT, Minsky S, Kiely GL, 31(4): 450–457
Minor Depression and Rehabilitaion Outcome for Older Adults in Subacute Care, Allen BP, Agha Z, Duthie EH, Layde PM, 31(2): 189–198
Organizational attributes
Confidentiality Measures in Mental Health Delivery Settings: Report of US Health Information Managers, Lorence DP, 31(2): 199–207
A Need-based Model for Determining Staffing Needs for the Public Sector Outpatient Mental

Health Services System, Elisha D, Levinson D, Grinshpoon A, 31(3): 324–333
Predominantly Female Caseloads: Identifying Organizational Correlates in Private Substance Abuse Treatment Centers, Tinney SM, Oser CB, Johnson JA, Roman PM, 31(4): 403–417
Substance Abuse Treatment for Women: Changes in Settings Where Women Received Treatment and Types of Services Provided, 1987–1998, Grella CE, Greenwell L, 31(4): 367–383
Using Information to Guide Managed Behavioral Health Care, Tumpkins C, Perloff J, 31(1): 98–110
Outcome assessment
Long-term Effectiveness of the ACCESS Program in Linking Community Mental Health Services to Homeless Persons With Serious Mental Illness, Rothbard AB, Min S-Y, Kuno E, Wong Y-LI, 31(4): 441–449
Minor Depression and Rehabilitaion Outcome for Older Adults in Subacute Care, Allen BP, Agha Z, Duthie EH, Layde PM, 31(2): 189–198
A Test of Mental Health Parity: Comparisons of Outcomes of Hospital Concurrent Utilization Review, Murray ME, Henriques JB, 31(3): 266–278
Outcome index
Creating an Aggregate Outcome Index: Cost-effectiveness Analysis of Substance Abuse Treatment, Jofre-Bonet M, Sindelar JL, 31(3): 229–241
Outpatient services
Aging and Outpatient Service Use Among Persons With Schizophrenia-Spectrum Disorders in a Statewide Behavioral Healthcare System, Lu W, Yanos PT, Minsky S, Kiely GL, 31(4): 450–457
Identifying Factors Critical to Implementation of Intergrated Mental Health Services in Rural VA Community-Based Outpatient Clinics, Kirchner JE, Cody M, Thrush CR, Sullivan G, Rapp CG, 31(1): 13–25
A Need-based Model for Determining Staffing Needs for the Public Sector Outpatient Mental Health Services System, Elisha D, Levinson D, Grinshpoon A, 31(3): 324–333

P

Performance evaluation
Using Information to Guide Managed Behavioral Health Care, Tumpkins C, Perloff J, 31(1): 98–110
Pharmacotherapy
Injection Drug Users and the Provision of Hepatitis C-Related Services in a Nationwide Sample of Drug Treatment Programs, Vassilev ZP, Strauss SM, Astone J, Des Jarlais DC, 31(2): 208–216
Patterns of Medical Resource and Psychotropic Medicine Use Among Adult Depressed Managed Behavioral Health Patients, Azocar F, McCarter LM, Cuffel BJ, Croghan TW, 31(1): 26–37
Regional Variation and Clinical Indicators of Antipsychotic Use in Residential Treatment: A Four-state Comparison, Rawal PH, Lyons JS, MacIntyre JC, Hunter JC, 31(2): 178–188
Policy issues
Longitudinal Patterns of Offending During the Transition to Adulthood in Youth From the Mental Health System, Davis M, Banks S, Fisher W, Grudzinskas A, 31(4): 351–366
Substance Abuse Treatment for Women: Changes in Settings Where Women Received Treatment and Types of Services Provided, 1987–1998, Grella CE, Greenwell L, 31(4): 367–383
Postpartum period
Detection of Postpartum Depression and Anxiety in a Large Health Plan, Coates AO, Schaefer CA, Alexander JL, 31(2): 117–133
Primary health care
Factors Associated With Perceived Stigma for Alcohol Use and Treatment Among At-Risk Drinkers, Fortney J, Mukherjee S, Curran G, Fortney S, Han X, Booth BM, 31(4): 418–429
Privacy issues
Confidentiality Measures in Mental Health Delivery Settings: Report of US Health Information Managers, Lorence DP, 31(2): 199–207
Private mental health care
Predominantly Female Caseloads: Identifying Organizational Correlates in Private Substance Abuse Treatment Centers, Tinney SM, Oser CB, Johnson JA, Roman PM, 31(4): 403–417
Psychiatric hospitalization
Psychiatric Service Utilization and Cost for Persons With Schizophrenia in a Medicaid Managed Care Program, Rothbard AB, Kuno E, Hadley TR, Dogin J, 31(1): 1–12
Reducing Restraint Use in a Public Psychiatric Inpatient Service, McCue RE, Urcuyo L, Lilu Y, Tobias T, Chambers MJ, 31(2): 217–224
Regional Variation and Clinical Indicators of Antipsychotic Use in Residential Treatment: A Four-state Comparison, Rawal PH, Lyons JS, MacIntyre JC, Hunter JC, 31(2): 178–188

Profiling Hospitals for Length of Stay for Treatment of Psychiatric Disorders, Harman JS, Cuffel BJ, Kelleher KJ, 31(1): 66–74
A Test of Mental Health Parity: Comparisons of Outcomes of Hospital Concurrent Utilization Review, Murray ME, Henriques JB, 31(3): 266–278
Psychiatric rehabilitation
Minor Depression and Rehabilitaion Outcome for Older Adults in Subacute Care, Allen BP, Agha Z, Duthie EH, Layde PM, 31(2): 189–198
Profiling Hospitals for Length of Stay for Treatment of Psychiatric Disorders, Harman JS, Cuffel BJ, Kelleher KJ, 31(1): 66–74
Public mental health care
Aging and Outpatient Service Use Among Persons With Schizophrenia-Spectrum Disorders in a Statewide Behavioral Healthcare System, Lu W, Yanos PT, Minsky S, Kiely GL, 31(4): 450–457
A Multi-site Study of Medicaid-funded Managed Care Versus Fee-for-Service Plans' Effects on Mental Health Service Utilization of Children With Severe Emotional Disturbance, Cook JA, Heflinger CA, Hoven CW, Kelleher KJ, Mulkern V, Paulson RI, Stein-Seroussi A, Fitzgibbon G, Burke-Miller J, Williams M, Kim J-B, 31(4): 384–402
A Need-based Model for Determining Staffing Needs for the Public Sector Outpatient Mental Health Services System, Elisha D, Levinson D, Grinshpoon A, 31(3): 324–333
Provider Turnover in Public Sector Managed Mental Health Care, Albizu-García CE, Rios R, Juarbe D, Alegria M, 31(3): 255–265

R

Race
Racial Differences in the Mental Health Needs and Service Utilization of Youth in the Juvenile Justice System, Rawal P, Romansky J, Jenuwine M, Lyons JS, 31(3): 242–254
Referral
Predominantly Female Caseloads: Identifying Organizational Correlates in Private Substance Abuse Treatment Centers, Tinney SM, Oser CB, Johnson JA, Roman PM, 31(4): 403–417
Research
Aging and Outpatient Service Use Among Persons With Schizophrenia-Spectrum Disorders in a Statewide Behavioral Healthcare System, Lu W, Yanos PT, Minsky S, Kiely GL, 31(4): 450–457
Confidentiality Measures in Mental Health Delivery Settings: Report of US Health Information Managers, Lorence DP, 31(2): 199–207
Creating an Aggregate Outcome Index: Cost-effectiveness Analysis of Substance Abuse Treatment, Jofre-Bonet M, Sindelar JL, 31(3): 229–241
Factors Associated With Perceived Stigma for Alcohol Use and Treatment Among At-Risk Drinkers, Fortney J, Mukherjee S, Curran G, Fortney S, Han X, Booth BM, 31(4): 418–429
Gender Differences in Patterns of Risk Factors Among Children Receiving Mental Health Services: Latent Class Analyses, Walrath CM, Petras H, Mandell DS, Stephens RL, Holden EW, Leaf PJ, 31(3): 297–311
Long-term Effectiveness of the ACCESS Program in Linking Community Mental Health Services to Homeless Persons With Serious Mental Illness, Rothbard AB, Min S-Y, Kuno E, Wong Y-LI, 31(4): 441–449
Minor Depression and Rehabilitaion Outcome for Older Adults in Subacute Care, Allen BP, Agha Z, Duthie EH, Layde PM, 31(2): 189–198
A Multi-site Study of Medicaid-funded Managed Care Versus Fee-for-Service Plans' Effects on Mental Health Service Utilization of Children With Severe Emotional Disturbance, Cook JA, Heflinger CA, Hoven CW, Kelleher KJ, Mulkern V, Paulson RI, Stein-Seroussi A, Fitzgibbon G, Burke-Miller J, Williams M, Kim J-B, 31(4): 384–402
New York State Case Manager Survey: Urban and Rural Differences in Job Activities, Job Stress, and Job Satisfaction, Gellis ZD, Kim J, Hwang SC, 31(4): 430–440
Predominantly Female Caseloads: Identifying Organizational Correlates in Private Substance Abuse Treatment Centers, Tinney SM, Oser CB, Johnson JA, Roman PM, 31(4): 403–417
Regional Variation and Clinical Indicators of Antipsychotic Use in Residential Treatment: A Four-state Comparison, Rawal PH, Lyons JS, MacIntyre JC, Hunter JC, 31(2): 178–188
The Relationship Between Type of Mental Health Provider and Met and Unmet Mental Health Needs in a Nationally Representative Sample of HIV-Positive Patients, Taylor SL, Burnam AM, Sherbourne C, Andersen R, Cunningham WE, 31(2): 149–163
The TEFRA Medicaid Eligibility Option for Children With Severe Disabilities: A National Study, Semansky RM, Koyanagi C, 31(3): 334–342

A Test of Mental Health Parity: Comparisons of Outcomes of Hospital Concurrent Utilization Review, Murray ME, Henriques JB, 31(3): 266–278
Using Information to Guide Managed Behavioral Health Care, Tumpkins C, Perloff J, 31(1): 98–110
Residential treatment centers
Regional Variation and Clinical Indicators of Antipsychotic Use in Residential Treatment: A Four-state Comparison, Rawal PH, Lyons JS, MacIntyre JC, Hunter JC, 31(2): 178–188
Restraint use
Reducing Restraint Use in a Public Psychiatric Inpatient Service, McCue RE, Urcuyo L, Lilu Y, Tobias T, Chambers MJ, 31(2): 217–224
Risk evaluation
Gender Differences in Patterns of Risk Factors Among Children Receiving Mental Health Services: Latent Class Analyses, Walrath CM, Petras H, Mandell DS, Stephens RL, Holden EW, Leaf PJ, 31(3): 297–311

S

Schizophrenia
Aging and Outpatient Service Use Among Persons With Schizophrenia-Spectrum Disorders in a Statewide Behavioral Healthcare System, Lu W, Yanos PT, Minsky S, Kiely GL, 31(4): 450–457
Psychiatric Service Utilization and Cost for Persons With Schizophrenia in a Medicaid Managed Care Program, Rothbard AB, Kuno E, Hadley TR, Dogin J, 31(1): 1–12
Service provision/delivery
Aging and Outpatient Service Use Among Persons With Schizophrenia-Spectrum Disorders in a Statewide Behavioral Healthcare System, Lu W, Yanos PT, Minsky S, Kiely GL, 31(4): 450–457
Designated Case Managers as Facilitators of Medical and Psychosocial Service Delivery in Addiction Treatment Programs, Friedmann PD, Hendrickson JC, Gerstien DR, Zhang Z, 31(1): 86–97
Injection Drug Users and the Provision of Hepatitis C-Related Services in a Nationwide Sample of Drug Treatment Programs, Vassilev ZP, Strauss SM, Astone J, Des Jarlais DC, 31(2): 208–216
Long-term Effectiveness of the ACCESS Program in Linking Community Mental Health Services to Homeless Persons With Serious Mental Illness, Rothbard AB, Min S-Y, Kuno E, Wong Y-LI, 31(4): 441–449
A Multi-site Study of Medicaid-funded Managed Care Versus Fee-for-Service Plans' Effects on Mental Health Service Utilization of Children With Severe Emotional Disturbance, Cook JA, Heflinger CA, Hoven CW, Kelleher KJ, Mulkern V, Paulson RI, Stein-Seroussi A, Fitzgibbon G, Burke-Miller J, Williams M, Kim J-B, 31(4): 384–402
Perceptions of Mental Health and Substance Abuse Program Administators and Staff on Service Delivery to Persons With Co-occurring Substance Abuse and Mental Disorders, Grella CE, Gil-Rivas V, Cooper L, 31(1): 38–49
Predominantly Female Caseloads: Identifying Organizational Correlates in Private Substance Abuse Treatment Centers, Tinney SM, Oser CB, Johnson JA, Roman PM, 31(4): 403–417
Substance Abuse Treatment for Women: Changes in Settings Where Women Received Treatment and Types of Services Provided, 1987–1998, Grella CE, Greenwell L, 31(4): 367–383
Using Information to Guide Managed Behavioral Health Care, Tumpkins C, Perloff J, 31(1): 98–110
Severe mental illness
Externally Caused Deaths for Adults With Substance Use and Mental Disorders, Dickey B, Dembling B, Azeni H, Normand S-LT, 31(1): 75–85
Long-term Effectiveness of the ACCESS Program in Linking Community Mental Health Services to Homeless Persons With Serious Mental Illness, Rothbard AB, Min S-Y, Kuno E, Wong Y-LI, 31(4): 441–449
A Multi-site Study of Medicaid-funded Managed Care Versus Fee-for-Service Plans' Effects on Mental Health Service Utilization of Children With Severe Emotional Disturbance, Cook JA, Heflinger CA, Hoven CW, Kelleher KJ, Mulkern V, Paulson RI, Stein-Seroussi A, Fitzgibbon G, Burke-Miller J, Williams M, Kim J-B, 31(4): 384–402
Using Information to Guide Managed Behavioral Health Care, Tumpkins C, Perloff J, 31(1): 98–110
Severely disabled patients
The TEFRA Medicaid Eligibility Option for Children With Severe Disabilities: A National Study, Semansky RM, Koyanagi C, 31(3): 334–342
Social support
Factors Associated With Perceived Stigma for Alcohol Use and Treatment Among At-Risk

Drinkers, Fortney J, Mukherjee S, Curran G, Fortney S, Han X, Booth BM, 31(4): 418–429
Predominantly Female Caseloads: Identifying Organizational Correlates in Private Substance Abuse Treatment Centers, Tinney SM, Oser CB, Johnson JA, Roman PM, 31(4): 403–417
Stigmatization
Factors Associated With Perceived Stigma for Alcohol Use and Treatment Among At-Risk Drinkers, Fortney J, Mukherjee S, Curran G, Fortney S, Han X, Booth BM, 31(4): 418–429

T

Tax Equity and Fiscal Responsibility Act (TEFRA)
The TEFRA Medicaid Eligibility Option for Children With Severe Disabilities: A National Study, Semansky RM, Koyanagi C, 31(3): 334–342
Therapeutic alliance
Youth Therapeutic Alliance in Intensive Treatment Settings, Bickman L, Vides de Andrade A, Lambert WE, Doucette A, Sapyta J, Boyd SA, Rumberger DT, Moore-Kurnot J, McDounough LC, Rauktis MB, 31(2): 134–148
Treatment motivation and retention
Continuity of Care: Validation of a New Self-report Measure for Individuals Using Mental Health Services, Durbin J, Goering P, Streiner DL, Pink G, 31(3): 279–296
Designated Case Managers as Facilitators of Medical and Psychosocial Service Delivery in Addiction Treatment Programs, Friedmann PD, Hendrickson JC, Gerstien DR, Zhang Z, 31(1): 86–97
Predominantly Female Caseloads: Identifying Organizational Correlates in Private Substance Abuse Treatment Centers, Tinney SM, Oser CB, Johnson JA, Roman PM, 31(4): 403–417
Substance Abuse Treatment for Women: Changes in Settings Where Women Received Treatment and Types of Services Provided, 1987–1998, Grella CE, Greenwell L, 31(4): 367–383
Youth Therapeutic Alliance in Intensive Treatment Settings, Bickman L, Vides de Andrade A, Lambert WE, Doucette A, Sapyta J, Boyd SA, Rumberger DT, Moore-Kurnot J, McDounough LC, Rauktis MB, 31(2): 134–148

U

Utilization of services
Continuity of Care: Validation of a New Self-report Measure for Individuals Using Mental Health Services, Durbin J, Goering P, Streiner DL, Pink G, 31(3): 279–296
A Multi-site Study of Medicaid-funded Managed Care Versus Fee-for-Service Plans' Effects on Mental Health Service Utilization of Children With Severe Emotional Disturbance, Cook JA, Heflinger CA, Hoven CW, Kelleher KJ, Mulkern V, Paulson RI, Stein-Seroussi A, Fitzgibbon G, Burke-Miller J, Williams M, Kim J-B, 31(4): 384–402
Predominantly Female Caseloads: Identifying Organizational Correlates in Private Substance Abuse Treatment Centers, Tinney SM, Oser CB, Johnson JA, Roman PM, 31(4): 403–417
Psychiatric Service Utilization and Cost for Persons With Schizophrenia in a Medicaid Managed Care Program, Rothbard AB, Kuno E, Hadley TR, Dogin J, 31(1): 1–12
Racial Differences in the Mental Health Needs and Service Utilization of Youth in the Juvenile Justice System, Rawal P, Romansky J, Jenuwine M, Lyons JS, 31(3): 242–254
Substance Abuse Treatment for Women: Changes in Settings Where Women Received Treatment and Types of Services Provided, 1987–1998, Grella CE, Greenwell L, 31(4): 367–383

W

Women
Predominantly Female Caseloads: Identifying Organizational Correlates in Private Substance Abuse Treatment Centers, Tinney SM, Oser CB, Johnson JA, Roman PM, 31(4): 403–417
Substance Abuse Treatment for Women: Changes in Settings Where Women Received Treatment and Types of Services Provided, 1987–1998, Grella CE, Greenwell L, 31(4): 367–383

Y

Young offenders
Longitudinal Patterns of Offending During the Transition to Adulthood in Youth From the Mental Health System, Davis M, Banks S, Fisher W, Grudzinskas A, 31(4): 351–366
Racial Differences in the Mental Health Needs and Service Utilization of Youth in the Juvenile Justice System, Rawal P, Romansky J, Jenuwine M, Lyons JS, 31(3): 242–254